



SICO KIESERITE 'GRAN.' GRANULAR KIESERITE 25% MgO + 20.8% S Suitable for use in organic farming - EC FERTILISER -

Updated 11/2022

1/ PRODUCT SPECIFICATION

PFC 1(C)(I)(a)(ii) MINERAL FERTILISER (MgO, SO₃) (25+52)

Declared nutrient contents by mass

* 25 % MgO water soluble magnesium oxide (= 15.1% Mg)

* 52% SO₃ water soluble sulphur trioxide (= 20.8% S)

<u>2/ CHEMICAL NALYSIS</u>	w	typical data
Magnesium Sulphate (MgSO ₄₎	%	75
Other Sulphates (K ₂ SO ₄ , CaSO ₄ , Na ₂ SO ₄)	%	4
Chlorides (KCl, NaCl)	%	3
Others (mainly water of crystallization)	%	18
K ₂ O	%	1.5
<u>3/ GRANULOMETRY</u>	w	typical data
2.0 - 5.0 mm	%	> 90
d ₅₀	mm	3.5 <u>+</u> 0.3
4/ PHYSICAL PROPERTIES		
Bulk density	\approx 1,280 kg/m ³	
Bulk density (packed)	\approx 1,330 kg/m ³	
Angle of Repose	≈ 33°	

5/ APPLICATION

This product is made from crude potassium salt of natural origin and is permitted for use in organic farming according to the Regulations (EU) 2018/848 and (EU) 2021/1165.

<u>6/STORAGE</u>

This product is to be kept dry and covered with a plastic tarpaulin to protect from moisture. Where bulk product is stored, steel joists and columns should be protected from corrosion, as well as the floor and the walls should be furnished with a protective coating. Wooden walls and roof girders have proved to be particularly durable.

OTHER INFORMATION

Non-combustible and not mentioned in the EC Regulations of 04/05/1976 concerning discharge of dangerous materials into water. In general has no detrimental effects to water.

P.S. See also Kieserite Fine (27% MgO + 55.5% SO₃) and Kieserite 26 Fine (26% MgO + 53% SO₃)

Every endeavour has been made to ensure that the information given herein is true and reliable but it is given only for the guidance of our customers. Sap International cannot accept any responsibility for loss or damage or infringement of patent rights that may result from the use of information, due to the possibility of variations of processing or working conditions and of workmanship outside our control. Users are advised to confirm the suitability of the products with their own tests. Any dimensions shown are approximate.

Any information in this publication is believed to be accurate and is given in good faith, but is for the customer to satisfy himself of the suitability for his own particular purpose No representation, warranty or guarantee is made to its accuracy, reliability or completeness.

> SAP INTERNATIONAL CORPORATION bvba Krekelenberg 69, B-2980 Zoersel, Belgium Tel. +32-3-309.06.51 Fax. +32-3-309.19.31 Email : info@sico.be Website : www.sico.be



Page 1 of 1